

**Form - IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1.	Particulars of the Occupier	Vice President, AMRI Hospitals. Bhubaneswar.
	(i) Name of the authorised person (occupier or operator of facility)	
	(ii) Name of HCF or CBMWTF	AMRI Hospital
	(iii) Address for Correspondence	Plot No.-1(pt) Near SatyaSai Enclave, Khandagiri, Bhubaneswar-30, Dist-Khurda.
	(iv) Address of Facility	Plot No.-1(pt) Near SatyaSai Enclave, Khandagiri, Bhubaneswar-30, Dist-Khurda.
	(v) Tel. No. Fax. No	0674-6666600, 6666777
	(vi) E-mail ID	amri.bhu@amrihospitals.in
	(vii) URL of Website	www.amrihospitals.in
	(viii) GPS coordinates of HCF or CBMWTF	
	(ix) Ownership of HCF or CBMWTF	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No.: 919, From 24/1/2018 valid up to 31/3/2019
	(xi). Status of Consents under Water Act and Air Act	Valid up to:
2.	Type of Health Care Facility	
	(i) Bedded Hospital	No. of Beds: 500
	(ii) Non-bedded hospital	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	
	(iii) License number and its date of expiry	
3.	Details of CBMWTF	N/A
	(i) Number healthcare facilities covered by CBMWTF	N/A
	(ii) No of beds covered by CBMWTF	N/A
	(iii) Installed treatment and disposal capacity of CBMWTF:	N/A


	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	N/A			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category :3728.25kg Red Category :5074.41kg White (Sharp):531.66kg Blue Category :821.22kg General Solid waste:5548.51 kg			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility	:	Size : Capacity : Provision of on-site storage : (cold storage or any other provision)			
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment  Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:	No of units t s Kg/day	Cap acit y y Kg/day	Quantity treated or disposed in kg per annum
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) N/A			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	N/A			
	(v) Details of incineration ash and ETP sludge generated and disposed	:	Quantity generated	Where disposed		

	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	M/S - Sani Clean Pvt Ltd. Tangiapada, Khurda Tel No.- 06742556379
	(vii) List of member HCF not handed over bio-medical waste.	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, (Minutes enclosed)
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	126 nos. Of training
	(ii) number of personnel trained	756
	(iii) number of personnel trained at the time of induction	239
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for training is available?	Yes
	(vi) any other information)	
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	10 (Needle Prick injury)
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	Details enclosed
	(iv) Any Fatality occurred, details.	Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	N/A
	Details of Continuous online emission monitoring systems installed	N/A
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	
11	Is the disinfection method or sterilization meeting the log 4	

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

.....  
 .....  
 .....  
 .....



Name and Signature of the Head of the Institution

Date:  
Place

**C.L.N. REDDY**  
 Vice President & Unit Head  
 AMRI Hospitals Ltd.  
 Bhubaneswar-751030